





Contact one of our dependable Country Importer or call our dedicated customer service team for more information.

Visit us on the web at:

titantool.com

Service Department

Customer.Service-PF@wagner-group.com

ADDRESS

J. Wagner GmbH Otto-Lilienthal-Str. 18 88677 Markdorf

All information contained in this brochure is based on the latest information available at the time of printing. Titan reserves the right to make changes at any time, without notice.





MAXIMIZE YOUR INVESTMENT WITH THE IMPACT SERIES.

Business is demanding and you need the kind of performance you get from Titan sprayers. It's time to invest in the expanded features and performance that will make a major IMPACT on your profit margin.



Quad+ Packings™ / Permalife™ Cylinder

No wearable cylinder and self-adjusting/ self compensating packings deliver the longest life and lowest repair costs in the industry.



Field Serviceable

Whether you are replacing the entire fluid section or the packings only, it's fast and easy with the T-slot piston and modular design.



Auto0iler™

Deliver oil from the reservoir to the packings with the push of a button.

Available on the Impact 440-1040 models.

IMPACT® 400

1.62 l/min

Recommended for small and medium residential and commercial projects.

Features:

Quad+ Packings

Heavy-Duty Stand

Rugged, larger tubing.

Heavy-Duty, Die Cast Aluminum Housing

Durable Rugged Feet

Extra traction and stability.

Auto0iler™

Additional Accessories



Hopper 704-453

Ideally suited to handle small amounts of paints and laquers. Easy to clean and makes quick color changes possible.

Filter Plug 0532357 Ability to remove pump filter for heavier coatings.





The Impact 400 comes with RX-80 Gun, 517 SC-6+ Tip and 1/4" x 15m Airless Hose.

6



Impact® 400

When it comes to getting powerful performance at an affordable price, nothing comes close to the Impact 400. Perfectly suited for residential, property maintenance and small commercial applications, the Impact 400 applies all lacquers, stains, standard primers, paints and architecural coatings with ease.

	Impact 400		
SPECIFICATIONS			
Max. Delivery	1.62 l/min		
Max. Tip Size	0.021" (0.53 mm)		
Max. Operating Pressure	207 bar		
Motor	0.655 kW		
WEIGHT			
Skid Frame	13.6 kg		
CONFIGURATIONS	PART NO.		
Skid	0532034		



Impact® 440

Step up to the #1 selling sprayer in the industry, the Titan 440! The Titan 440 is ideally suited for residential, property maintenance and small commercial applications. This high performance electric airless sprayer will apply all standard architectural primers, paints and coatings efficiently.

Impact 440			
SPECIFICATIONS			
Max. Delivery	2.0 l/min		
Max. Tip Size	0.023" (0.58 mm)		
Max. Operating Pressure	221 bar		
Motor	1.035 kW		
WEIGHT			
Skid Frame	17.9 kg		
CONFIGURATIONS	PART NO.		
Skid	0532035		

IMPACT® 440

2.0 I/min

Recommended for small and medium residential and commercial projects.

Features:

Quad+ Packings

Electronic Pressure Control with Rapid Clean

Faster flushing and clean-up.

Auto0iler™

Full-Sized Manifold Filter

Filter handles more paint, preventing abrasives from reaching the gun tip.

No Wearable Cylinder

Extra Deep Holster

Keeps strainer in liquid to keep pump moist.



The Impact 740 comes with RX-Pro Gun, 517 SC-6+ Tip and 1/4" x 15 m Airless Hose.

7

IMPACT SERIES | titantool.com

IMPACT® 540

2.3 l/min

Recommended for small and medium residential and commercial projects.

Features:

DuraLife™ Brushless HE Motor

Optimized for every tip size and every painter's technique.

Quad+ Packings

Electronic Pressure Control with Rapid Clean

Faster flushing and clean-up.

Full-Sized Manifold Filter

Filter handles more paint, preventing abrasives from reaching the gun tip.

Auto0iler™

No Wearable Cylinder



Impact® 540

The Impact 540 is a step-up performer designed for more extended use in residential, municipal, property maintenance, and small commercial applications where a greater degree of performance is required on a steady and consistent basis.

	Impact 540		
SPECIFICATIONS			
Max. Delivery	2.3 I/min		
Max. Tip Size	0.024" (0.61 mm)		
Max. Operating Pressure	221 bar		
Motor	1.035 kW		
WEIGHT			
High Rider	27.2 kg		
CONFIGURATIONS	PART NO.		
High Rider	0532031		

Impact® 740

The Impact 740 is designed for extended, heavy-duty performance on larger residential and commercial projects. This is the sprayer contractors turn to when the time comes to enter the big leagues.

	Impact 740		
SPECIFICATIONS			
Max. Delivery	3.0 l/min		
Max. Tip Size (1-Gun)	29"		
Max. Operating Pressure	221 bar		
Motor	1.725 kW		
WEIGHT			
High Rider	43.5 kg		
CONFIGURATIONS	PART NO.		
High Rider	0532032		



740

3.0 I/min

IMPACT®

Recommended for medium and some large residential, commercial and industrial projects.

Features:

DuraLife™ Brusheless HE Motor

Optimized for every tip size and every

Electronic Pressure Control

Consistent pressure. Zero deadband.

Quad+ Packings

painter's technique.

Telescoping Handle

Easy-Load Cart

Clean back loads in and out of vehicles easily. (Available on high rider model only)

Hose Wrap

Holds up to 45m of airless hose.

Auto0iler™



The Impact 740 comes with RX-Pro Gun, 517 SC-6+ Tip and 1/4" x 15 m Airless Hose.

9



The Impact 540 comes with RX-Pro Gun, 517 SC-6+ Tip and 1/4" x 15 m Airless Hose.

8

IMPACT SERIES | titantool.com IMPACT SERIES | titantool.com

11

IMPACT® 1040

4.5 l/min

Recommended for applications using up to 2 guns in large residential, commercial and industrial projects.

Features:

DuraLife™ Brusheless HE Motor

Optimized for every tip size and every painter's technique.

Electronic Pressure Control

Consistent pressure. Zero deadband.

Quad+ Packings

Telescoping Handle

Easy-Load Cart

Clean back loads in and out of vehicles easily. (Available on high rider model only)

Hose Wrap

Holds up to 15m of airless hose.

Large Pneumatic Tires

Auto0iler™



The Impact 1040 comes with RX-Pro Gun, 517 SC-6+ Tip and 1/4" x 15m Airless Hose.



Impact® 1040

For big projects requiring large tip sizes or more than one spray gun operating from a single unit, you can rely on the power and performance of the Impact 1040. This workhorse is perfect for large residential, commercial and industrial applications where speed and power are necessary to get the job done faster and with greater efficiency.

	Impact 1040		
SPECIFICATIONS			
Max. Delivery	4.5 l/min		
Max. Tip Size (1-Gun)	0.034" (0.86 mm)		
Max. Operating Pressure	221 bar		
Motor	1.955 kW		
WEIGHT			
High Rider	47.6 kg		
CONFIGURATIONS	PART NO.		
High Rider	0532033		

THE CONTRACTOR CHOICE FOR ELECTRIC AIRLESS PAINT SPRAYERS

Part Number - Skid 0532034 0532035 - - -						
Part Number - High Rider — <th>Part Number Skid</th> <th></th> <th>· · · · · · · · · · · · · · · · · · ·</th> <th>·</th> <th>IIIIpact 740</th> <th>·</th>	Part Number Skid		· · · · · · · · · · · · · · · · · · ·	·	IIIIpact 740	·
Max Delivery 1.62 l/min 2.0 l/min 2.3 l/min 3.0 l/min 4.5 l/min Max Tip Size, 1-Gun 0.021* (0.53 mm) 0.023* (0.58 mm) 0.024* (0.61 mm) 0.029* (0.73 mm) 0.034* (0.86 mm) Max. Operating Pressure 207 bar 221 bar 221 bar 221 bar 221 bar Electric Motor 0.655 kW 1.035 kW 1.035 kW 1.725 kW 1.955 kW Power Cord Length - Skid 6m 6m 6m - - Power Cord Length - Cart 6m 6m 6m 6m 6m Tires - High Rider - - 10* Semi-Pneumatic 12* Semi-Pneumatic 12* Pneumatic Weight - Skid 13.6 kg 17.9 kg - - - Weight - Cart - - 27.2 kg 43.5 kg 47.6 kg Gun Included RX-80 RX-Pro RX-Pro RX-Pro RX-Pro Reversible Tip Included 517 517 517 517 Airless Hose Included 1/4* x 15 m 1/4* x 15 m 1		0002004	0002000			
Max Tip Size, 1-Gun 0.021* (0.53 mm) 0.023* (0.58 mm) 0.024* (0.61 mm) 0.029* (0.73 mm) 0.034* (0.86 mm) Max. Operating Pressure 207 bar 221 bar 221 bar 221 bar 221 bar Electric Motor 0.655 kW 1.035 kW 1.035 kW 1.725 kW 1.955 kW Power Cord Length - Skid 6m 6m 6m - - Power Cord Length - Cart 6m 6m 6m 6m 6m 6m 6m 6m 6m 7 ight - Skid 13.6 kg 17.9 kg - - - Weight - Skid 13.6 kg 17.9 kg - - - - Weight - Cart - - 27.2 kg 43.5 kg 47.6 kg 47.6 kg Gun Included RX-80 RX-Pro RX-Pro RX-Pro RX-Pro RX-Pro RX-Pro RX-Pro RX-Pro 1/4* x 15 m 1/4* x 15 m <td></td> <td>1 62 L/min</td> <td>2.0.1/min</td> <td></td> <td></td> <td></td>		1 62 L/min	2.0.1/min			
Max. Operating Pressure 207 bar 221 bar	· · · · · · · · · · · · · · · · · · ·	· ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· ·
Pressure 207 bar 221 bar <		U.UZ I (U.53 MM)	U.UZ3 (U.58 mm)	U.UZ4 (U.61 MM)	U.U29 (U.73 mm)	U.U34 (U.86 MM)
Power Cord Length - Skid 6m 7m 7		207 bar	221 bar	221 bar	221 bar	221 bar
Power Cord Length - Cart 6m 6m 6m 6m 6m Tires - High Rider — — 10" Semi-Pneumatic 12" Semi-Pneumatic 12" Pneumatic Weight - Skid 13.6 kg 17.9 kg — — — Weight - Cart — — 27.2 kg 43.5 kg 47.6 kg Gun Included RX-80 RX-Pro RX-Pro RX-Pro RX-Pro Reversible Tip Included 517 517 517 517 517 Airless Hose Included 1/4" x 15 m Repair Kit - Pump 0532911 704-586 704-586 800-273 800-273 Manifold Filter - Pump 540-030 730-067 730-067 730-067 730-067	Electric Motor	0.655 kW	1.035 kW	1.035 kW	1.725 kW	1.955 kW
Tires - High Rider — — 10" Semi-Pneumatic 12" Semi-Pneumatic 12" Pneumatic Weight - Skid 13.6 kg 17.9 kg — — — Weight - Cart — — 27.2 kg 43.5 kg 47.6 kg Gun Included RX-80 RX-Pro RX-Pro RX-Pro RX-Pro Reversible Tip Included 517 517 517 517 517 Airless Hose Included 1/4" x 15 m 1/4" x 15 m 1/4" x 15 m 1/4" x 15 m Repair Kit - Pump 0532911 704-586 704-586 800-273 800-273 Manifold Filter - Pump 540-030 730-067 730-067 730-067 730-067	Power Cord Length - Skid	6m	6m	6m	-	-
Weight - Skid 13.6 kg 17.9 kg - - - Weight - Cart - - 27.2 kg 43.5 kg 47.6 kg Gun Included RX-80 RX-Pro RX-Pro RX-Pro RX-Pro Reversible Tip Included 517 517 517 517 Airless Hose Included 1/4" x 15 m 1/4" x 15 m 1/4" x 15 m 1/4" x 15 m Repair Kit - Pump 0532911 704-586 704-586 800-273 800-273 Manifold Filter - Pump 540-030 730-067 730-067 730-067 730-067	Power Cord Length - Cart	6m	6m	6m	6m	6m
Weight - Cart - - 27.2 kg 43.5 kg 47.6 kg Gun Included RX-80 RX-Pro RX-Pro RX-Pro RX-Pro Reversible Tip Included 517 517 517 517 Airless Hose Included 1/4" x 15 m 1/4" x 15 m 1/4" x 15 m 1/4" x 15 m Repair Kit - Pump 0532911 704-586 704-586 800-273 800-273 Manifold Filter - Pump 540-030 730-067 730-067 730-067 730-067	Tires - High Rider	-	-	10" Semi-Pneumatic	12" Semi-Pneumatic	12" Pneumatic
Gun Included RX-80 RX-Pro RX-Pro RX-Pro RX-Pro Reversible Tip Included 517 517 517 517 Airless Hose Included 1/4" x 15 m 1/4" x 15 m 1/4" x 15 m 1/4" x 15 m Repair Kit - Pump 0532911 704-586 704-586 800-273 800-273 Manifold Filter - Pump 540-030 730-067 730-067 730-067 730-067	Weight - Skid	13.6 kg	17.9 kg	_	-	_
Reversible Tip Included 517 517 517 517 Airless Hose Included 1/4" x 15 m 1/4" x 15 m 1/4" x 15 m 1/4" x 15 m Repair Kit - Pump 0532911 704-586 704-586 800-273 800-273 Manifold Filter - Pump 540-030 730-067 730-067 730-067	Weight - Cart	-	-	27.2 kg	43.5 kg	47.6 kg
Airless Hose Included 1/4" x 15 m 1/4" x 15 m 1/4" x 15 m 1/4" x 15 m Repair Kit - Pump 0532911 704-586 704-586 800-273 800-273 Manifold Filter - Pump 540-030 730-067 730-067 730-067 730-067	Gun Included	RX-80	RX-Pro	RX-Pro	RX-Pro	RX-Pro
Repair Kit - Pump 0532911 704-586 704-586 800-273 800-273 Manifold Filter - Pump 540-030 730-067 730-067 730-067 730-067	Reversible Tip Included	517	517	517	517	517
Manifold Filter - Pump 540-030 730-067 730-067 730-067 730-067	Airless Hose Included	1/4" x 15 m	1/4" x 15 m	1/4" x 15 m	1/4" x 15 m	1/4" x 15 m
	Repair Kit - Pump	0532911	704-586	704-586	800-273	800-273
Repair Kit - Gun 538-215 580-034 580-034 580-034 580-034	Manifold Filter - Pump	540-030	730-067	730-067	730-067	730-067
	Repair Kit - Gun	538-215	580-034	580-034	580-034	580-034

10 IMPACT SERIES | titantool.com



Distributed by:

Sold exclusively through professional distributors Visit us at: www.titantool.com



All information contained in this brochure is based on the latest information available at the time of printing. Titan reserves the right to make changes at any time, without notice. Due to continuous innovation, specifications may progressively change. Contact one of our dependable sales reps or call our dedicated customer service team for more information.

J. Wagner GmbH | Otto-Lilienthal-Str. 18 | 88677 Markdorf | Customer.Service-PF@wagner-group.com | titantool.com